



Technical Specification		Vigor3300B+	Vigor3300	Vigor3300V
Interface	LAN (4-port 10/100 Base-TX switch)	V	V	V
	WAN/DMZ	3 ports	3 ports	4 ports
	Console	V	V	V
	VoIP Slot	-	-	2
Network Features	NAT Capability (DMZ / Port Redirection / Open Ports)	V	V	V
	Multi-NAT	V	V	V
	DHCP Server	V	V	V
	DDNS Client	V	V	V
	Call Scheduling for PPPoE/PPTP	V	V	V
	RADIUS Client Authentication for PPTP Remote Dial-in	V	V	V
	LAN/WAN Port Mirroring	V	V	V
	DHCP Server - Relay Agent	V	V	V
	Port-based VLAN	V	V	V
	Tag-based VLAN (802.1q)	-	V	V
	Physical DMZ	V	V	V
Firewall	Access Control	V	V	V
	Packet Filtering	V	V	V
	Denial of Service Prevention	V	V	V
	Stateful Packet Inspection for TCP	V	V	V
	Stateful Packet Inspection for FTP	V	V	V
VPN	IPSec VPN Tunnels	-	200	200
	Hardware-based DES/3DES/AES / HMAC-SHA-1/HMAC-MD5 Encryption	-	V	V
	PPTP for Remote Access and Control	-	V	V
	IPSec Authentication (MD5 and SHA-1)	-	V	V
	IKE/Pre-shared Key (PSK) Management	-	V	V
	LAN-to-LAN VPN	-	V	V
	VPN Pass-Through (IPSec)	V	V	V
	VPN Pass-Through (PPTP)	V	V	V
	PKI (X.509), CA	-	V	V
	DHCP over IPSec	-	V	V
	NAT-T of IPSec	-	V	V
Content Filtering	URL Blocking with Exception Handling	V	V	V
	Java/ActiveX/Cookies/Zip/EXE Blocking	V	V	V
	Content Blocking by User-defined Keywords	V	V	V
	Filtering based on URL Access List, Keywords, or Time of Day	V	V	V
	Content Portal Authority - Surf Control	V	V	V
System Management	Web User Interface	V	V	V
	Command Line Interface (Telnet, Console)	V	V	V
	Command Line Interface-SSH	V	V	V
	Remote Firmware Upgrade	V	V	V
	Syslog for Logging and Monitoring	V	V	V
	SNMP- Basic MIBs	V	V	V
	SNMP- VoIP	-	-	V
	Configuration File Encryption	-	-	-
	SNMP-Firewall	-	-	-
	SNMP-VPN	-	V	V
	SNMP-Alarm	-	-	-
VigorCMS	Basic Configuration	V	V	V
	Performance Monitoring	V	V	V
	Topology	V	V	V
	Security	V	V	V
	Log	V	V	V
	Alarm	-	-	-
	Polling	V	V	V
	VPN Configuration	-	V	V
	Firewall Configuration	-	-	V
	VoIP Configuration	-	-	-
Alarm for VPN/Firewall	-	-	-	
Attack Alert by Email	-	-	-	
Load Balance	Redundancy	V	V	V
	By PC Clients	V	V	V
	By WAN Interfaces Traffic Volume	V	V	V
	By Destination IP Address Range	V	V	V
	By Fixed VPN Connection	-	V	V
	By Fixed VoIP Packets	-	-	V
Robust Detection Mechanism	V	V	V	
QoS	Incoming/Outgoing Bandwidth Guaranteed	V	V	V
	Service/Protocol Classification	V	V	V
	Eight Priority Queues for Classes	V	V	V
VoIP	FXS/FXO	-	-	(4/8)
	MGCP/SIP	-	-	V
	Codec G.711, 729A, 723.1, G.726	-	-	V
	VAD(Silence Suppression) & CNG	-	-	V
	G.168-2000 Echo Canceller, Jitter Buffer	-	-	V
	Packet Loss Concealment	-	-	V
	RFC2833 - Out of Band DTMF	-	-	V
	Gain/Attenuation Setting	-	-	V
	Modem Support Rate Up V.92	-	-	V
	Caller ID Support: Bellcore, ETSI, NTT, DTMF-Based(Nor-Europe)	-	-	V
	Line Polarity Reversal Generation	-	-	V
	QoS for B.W Reservation	-	-	V
	Hunt Group	-	-	V
	Call Holding & Call Forwarding	-	-	V
	Outbound Proxy	-	-	V
	NAT Traversal (STUN) (RFC 3489)	-	-	V
	Incoming Call Barring	-	-	V
	T.38 Fax Relay	-	-	V
	VoIP over IPSec	-	-	V
	Single Codec Assignment	-	-	V
Hot Line to Internet/PBX/PSTN	-	-	V	
Link Fragmentation & interleaving	-	-	V	
FXO-PIN Code	-	-	-	
Multiple SIP Proxies Registering	-	-	-	
Call Transfer	-	-	-	
Incoming Call Barring by Schedule	-	-	-	
High Availability	V	V	V	

*Future release

VIGOR3300 SERIES

ENTERPRISE MULTISERVICE SECURITY ROUTER

- ▶ Single platform for integration of data, voice (IP Telephony) and video.
- ▶ Robust firewall for securing against intruders/attackers and Denial-of-Service (DoS).
- ▶ High performance hardware-based VPN device for small and medium level business companies.
- ▶ DHCP over VPN IPSec (Automatic provisioning of proxy IP addresses)
- ▶ NAT-T of VPN IPSec
- ▶ Remote, secure access VPN for e-commerce, mobile and telecommuting applications.
- ▶ Web content filtering (Blocks access to inappropriate and non-productive venues)
- ▶ Port-based and 802.1Q tag-based VLAN
- ▶ Bandwidth-guaranteed for VoIP and online game applications as well as critical business networking-zone.
- ▶ Up to 3(3300B+/3300)/4(3300V) WAN interfaces for load sharing and load balancing.
- ▶ Physical DMZ (De-Militarized Zone) ports for isolated security zones.
- ▶ Easy installation, configuration, and management through user-friendly WEB interface and VigorCMS.
- ▶ QoS (Quality of Service) feature monitors, analyzes and allocates bandwidth in real time for business critical traffic.
- ▶ Load Balancing solution ensures high availability for network and applications.
- ▶ EMS management (VigorCMS) for configuration management, topology management, security management, fault management and backup/restore storage management.
- ▶ High availability provides a non-stop and reliability network access devices.
- ▶ Fail-over provides a backup service for users to Internet.

The Vigor 3300 series routers combine VPN enhancements like robust firewall, WEB content filtering, Guaranteed Bandwidth, remote management and administrative functions to meet increasing demands for higher security and reliability in today's broadband environment.

The Vigor 3300 Security router provides additional IPSec VPN benefits that achieve highly scalable, confidential e-business objectives including branch office interconnectivity and remote access applications. By deploying the latest versions of encryption accelerators (i.e., DES/DES3-SHA-1/HMAC-MD-5), the Vigor3300 series routers affords low latency and higher performance IPSec VPN.

The series'robust firewall offers a rich suite of security features like stateful packet inspection (i.e., examines the contents of individual packets at ALL layers of the OSI stack), access control, packet filtering, blocks intrusions/attacks and Denial of Service (DoS). Additional protection is provided via programmable integrated content filtering that blocks inappropriate WEB content for home or business environments.

Optional 4/8 port VoIP modules provide connection with any PBX, key system or simple analog phone.

The QoS function (Quality of Service) ensures prioritized, dedicated bandwidth, controlled jitter and latency and reduced packet-loss characteristics. Load balancing or redundancy configurations provide reliable, un-interrupted traffic flows. Bandwidth can be increased (up to 400mbps) and traffic can be shared using multi-port WAN connections via the load balance feature. Simple re-configuration of WAN ports easily provides redundant, back-up capability.


The load balancing and high availability applications improve the network performance, scalability, reliability in Internet network and infrastructure utilization.

The SNMP-based of VigorCMS is the management software to offers an easy way to remotely set up configurations, update system status, display alarm events, monitor system behaviors, perform diagnostics and download firmware and email attacking alert. For installation, status monitor, and management of Vigor3300 series of routers, it will be easily accomplished through a built-in Web user interface or Telnet command line interface.




HIGH AVAILABILITY

This feature ensures a non-stop and reliable network access. Configured in a cluster arrangement of two redundant Vigor3300 series Routers, traffic is automatically switched to the slave unit in the event of service interruption in the master unit.




ROBUST VPN

It supports up to 200 IPSec VPN tunnels simultaneously. Hardware-based DES/3DES/AES / HMAC-SHA-1/ HMAC-MD5 encryption provides high performance VPN connections. It can be put on the central office and co-work with other Vigor CPE routers in the branch offices.




MODULARIZED VoIP SLOTS

The Vigor3300V is equipped with two VoIP slots, with each slot providing four FXO or FXS ports. A choice of SIP or MGCP VoIP protocols is available. The VoIP quality is guaranteed by QoS feature. It's easy to integrate to your PBX system and standard analog telephone sets to your telephone fee.




LOAD BALANCING and REDUNDANCY

For through-put reliability and sustained internet access, users have a choice of LOAD BALANCING or REDUNDANCY mode. Load balancing allows increased bandwidth (up to 400 mbps) and traffic sharing via multi-WAN connections. In the redundancy mode, the secondary WAN remains in hot standby as a back-up to the primary WAN.



QoS (QUALITY of SERVICE)

The QoS feature enables the network administrator to monitor, analyze and allocate bandwidth in real time. Acting as the network traffic cop, QoS prioritizes traffic for mission critical applications.



FIREWALL SECURITY

The default security policy within a firewall denies hackers and/or other intruders access to internal LAN resources. A rich phalanx of protective barriers like access control, packet filtering, and denial of service (DoS) are inherent features of the Vigor3300 series routers. Bolstering this array of firewall features is "stateful packet inspection" where all packets are individually analyzed to determine access or denial to the LAN.

